

WE OFFER MUCH MORE THAN YOU EXPECT

WE DO EVERYTHING WE CAN TO ENSURE UPTIME AND MAKE YOUR PRODUCTION AS TROUBLE-FREE AND EFFICIENT AS POSSIBLE. OVER 40 YEARS OF EXPERIENCE GUARANTEE THAT YOU GAIN CONSTANT BENEFITS DURING THE ENTIRE PROD UCT/PROJECT LIFE CYCLE.



J.

WUUU







DESIGN, MANUFACTURE AND SUPPORT

WE DESIGN, MANUFACTURE AND SUPPORT STATIC & MOBILE WASTE RECYCLING EQUIPMENT

- Laser Cutting
- Fabrication
- Surface Treatment
- Subassembly
- Final Assembly
- Research & Development
- Testing/Quality Control
- Warehousing
- Global Distribution Centre





THE FUTURE IS GREEN

THE FUTURE IS HYBRID TECHNOLOGY.

When are the Number 1 innovator in Hybrid Technology in our sector by developing innovations that offer solutions for the preservation of resources and environmental protection.

#RECYCLINGMADEEASY

.

#RECYCLINGMADEEASY

STATIC

ROBOTIC WASTE RECYCLING

ncorporating Sizing, Screening, Density Separation, Metals Recovery and a 3 Armed Zen Robotics Recycler Unit

CLING SCREENS EL SCREENS CKING STATIONS CONVEYORS **AIR DENSITY SEPARATORS EDDY CURRENT SEPARATORS** FLUID DENSITY SE AN AUTOMAUTOMA

MOBILE

RECYCLING SCREENS TROMMEL SCREENS **PICKING STATIONS** NVEY **FY SEPARATORS** ICI **EDDY CURRENT SEPARATORS FLUID DENSITY SEPARATORS**



MODULAR

trecyclingmadeeas



LING SCRE **MELSCREEN PICKING STATIONS** VEY H **AIR DENSITY SEPARATORS** EDDY CURRENT SEPARATORS **FLUID DENSITY SEPARATORS** AUTOMATION

#RECYCLINGMADEEASY



BUILT TO LAST

INNOVATE DESIGN, DURABLE MATERIALS, ROBUST CONSTRUCTION

S afeguarding your investment is our priority. Product wear due to application, fatigue and time are considered during the design phase. To prolong uptime we simplify the parts that compromise a complex whole assembly and apply strict quality controls at every stage. We source the best raw materials.


RS514T TRACK RECYCLING SCREEN

iesel-electric/Dual Powered, quick simple setup, 5G Recycling Screen with Flow Flow Bottom and on-board stackers ensures the lowest cost of total ownership



AS150T AIR DENSITY SEPARATOR





30kW Hydraulic PowerPack

Hydraulic Adjustment In Out

Decompression Chamber

Combines with: EC315T PS312M, PS212T, PS312W **RS514T** TS620T

Transport

Width (m): 2.9 Length (m): 15.5 Height (m): 3.2

Working

Width (m): 8.3 Length (m) : 15.3 Height (m): 3.2


Weight (kgs) : 25,000 *

* All dimensions and weights are approximate. M&K reserves the right to alter specification without notice. Images may show optional equipment



#RECYCLINGMADEEASY

Patent Pending






Weight (kgs) : 25,000 *



EC315T **EDDY CURRENT SEPARATOR**





Fast Belt Change

900mm Chevron

Residual Conveyor

VSD

VSD

7

Powerpack

30kva Generator 30kW Hydraulic PowerPack Touch Screen HMI

Bi Directional Hydraulic Adjustment (300mm Max)

Finite X&Y Adjustment Real Time Adjustment



Combines with: AS150T PS312M, PS212T, PS312W **RS514T TS620T**

Transport

Width (m): 2.9 Length (m): 10.5 Height (m): 3.2

Working

Width (m): 8.3 Length (m) : 15.3 Height (m): 3.2

Weight (kgs) : 22,000 *

* All dimensions and weights are approximate. M&K reserves the right to alter specification without notice. Images may show optional equipment

#RECYCLINGMADEEASY

Weight (kgs) : 22,000 *



PER TON

WE ARE DEDICATED TO HELPING YOU REALISE THE LOWEST COST-PER-TON POSSIBLE USING OUR RECYCLING EQUIPMENT

lot goes into delivering that value. Longer maintenance cycles. Longer component life expactancy. High reliability. We follow a proven design philosophy that focuses around 3 main areas:

1. Investments in R&D

2. Supporting Products & Productivity 3. Listening to our customers

EC315T TRACK EDDY CURRENT

ual Powered, quick simple setup, Low level Belt Feeder, Vibrating Feeder, Magnet & Eddy Current Separator with 24 Pole, Concentric Rotor.

LOWEST TOTAL COST




PS312M MODULAR PICKING STATION - 3 BAY



3

Air Separator Powerpack 2 1 15 Kw **Dual Power** Hydraulic In & Out 60kva Generator Hydraulic Out of Line 30kW Hydraulic PowerPack VSD Touch Screen HMI **Picking Cabin Picking Conveyor** 3 4 1200mm 3 Bay VSD 6 Chutes Metal Construction Magnet Chassis 5 6 **Bi Directional** Hydraulic Jacklegs Radio Control Height Adjustable 450 Gauss @ 300mm Site Axle Towbar Combines with: AS150T EC315T PS312M, PS212T, PS312W

> **RS514T TS620T**



Transport

Width (m): 3.0 Length (m): 16.1 Height (m): 3.2

Working Width (m): 5.3 Length (m): 16.1 Height (m): 3.2


Weight (kgs) : 21,000 *

Weight (kgs) : 21,000 *

* All dimensions and weights are approximate. M&K reserves the right to alter specification without notice. Images may show optional equipment

#RECYCLINGMADEEASY

Patent Pending







PS312M MOBILE PICKING STATION

MPS312

#recyclingmadeeasy


w the mkgroup.com

ual Powered, Air Sepa-rator, 3 Bay Picking Cabin, Magnet, Self Erecting, Quick Simple Set Up.

#RECYCLINGMADEEASY

PS212T TRACK PICKING STATION - 2 BAY







Transport	Working
Width (m): 3.0	Width (m)
Length (m): 15.0	Length (m)
Height (m): 3.1	Height (m)

Weight (kgs) : 20,000 *

* All dimensions and weights are approximate. M&K reserves the right to alter specification without notice. Images may show optional equipment

#RECYCLINGMADEEASY

Patent Pending

: 3.0 n): 15.0): 3.1 Weight (kgs) : 20,000 *





PS212T TRACK PICKING STATION

ual Powered, Variable Speed Feeder, Air Separator, 2 Bay Picking Cabin, Magnet, Tracks

PS312W WHEELED PICKING STATION - 3 BAY

2

4

6



5

Air Separator 15 Kw Hydraulic In & Out Hydraulic Out of Line VSD

1

3


5

Picking Cabin 3 Bay 6 Chutes

Metal Construction Magnet

Bi Directional Height Adjustable 450 Gauss @ 300mm

Combines with: AS150T EC315T PS312M, PS212T, PS312W RS514T TS620T



60kva Generator

Powerpack

Dual Power



Chassis Radio Control

Hydraulic Jacklegs Site Axle Towbar

Transport

Width (m): 3.0 Length (m): 19.0 Height (m): 3.2

Working

Width (m): 5.3 Length (m) : 19.0

Weight (kgs) : 25,000 *

Weight (kgs) : 25,000 *

* All dimensions and weights are approximate. M&K reserves the right to alter specification without notice. Images may show optional equipment

#RECYCLINGMADEEASY

Patent Pending



Height (m): 3.2





#recyclingmadeeasy



PS312W



RS514T RECYCLING SCREEN

2

4

6

Feed Conveyor & Hopper 1300mm Chevron Dual Drive VSD



5

1

Fines Conveyor 900mm VSD

Mid Size Conveyor 900mm VSD

> Combines with: AS150T EC315T PS312M, PS212T, PS312W **RS514T** TS620T



Oversize Conveyor 1200mm Chevron VSD









Transport

Width (m): 3.0 Length (m): 16.0 Height (m): 3.2

Working

Width (m): 14.0 Length (m) : 14.6

Weight (kgs) : 30,000 *

* All dimensions and weights are approximate. M&K reserves the right to alter specification without notice. Images may show optional equipment

#RECYCLINGMADEEASY



Height (m): 3.2

Weight (kgs) : 30,000 *

RS514T TRACK RECYCLING SCREEN



orking in conjunction with a Tana Shredder to produce RDF



596

SP

EuRee

TS620T**TROMMEL SCREEN**



Feed Conveyor & Hopper 1300mm Chevron Dual Drive VSD

3

1



Dual Power 60kva Generator 30kW Hydraulic PowerPack Touch Screen HM **Trommel Screen** 6000mm x 2000mm

Powerpack

Bolt in Mesh

2

4



Oversize Conveyor 1200mm Chevron VSD

Fines Conveyor

900mm

VSD

Combines with:

AS150T EC315T PS312M, PS212T, PS312W **RS514T TS620T**








#RECYCLINGMADEEASY

Patent Pending

3 Way Split Option








#RECYCLINGMADEEASY



in an alphan

.

0.01





TAILOR-MADE TO YOUR NEEDS

WASTE RECYCLING IS COMPLEX AND DEMANDING. OUR SOLUTIONS ARE SPECIFIC TO YOUR PROBLEM.

t is likely that one of the products in our portfolio perfectly suits your needs. If this is not the case, our engineers will design a solution that will meet your requirements.

#MORETHANAPLANTBUILDER



Process more material, minimise downtime, build profitability

M&K, 55 Cappagh Road, Galbally, Dungannon, Co Tyrone, N Ireland, BT70 2PD t: +44 (0) 2887 758396 **m +44 (0) 7786 561002 e: desmond.rafferty@the-mkgroup.com** www.the-**mk**group.com





Our policy of continuous development requires that we reserve the right to make changes without specific notice.